

The GAP Generator
with no moving parts
Comparing tests done 02-26-2017
More load equals better performance.

The GAP Generator	
02-26-17 @ 14:42	
No Moving Parts	
303.44	Avg watts input amp & neut.
377.01	Avg watts output per spike & magnets.
73.57	Average watts over unity.
124.24	Percent of unity.
As recorded.	
30 ohm coil with 2 magnets.	
Magnets against the coil. 1/2" x 3".	
Two lights & two 1500 watt elements.	
60 ms cycle time.	
Setup 10 AC in DC out.	
Amplification & Neutralization.	
Power supply set to 36 volts.	
36 x 9.9 = 356.4 input per power supply.	
NO Full wave bridge rectifier.	
32.9 x 9.37 = scope input.	
Ran on a 7.5 amp fast acting fuse.	

The GAP Generator	
02-26-17 @ 14:42	
No Moving Parts	
308.27	Avg watts input amp & neut.
377.01	Avg watts output per spike & magnets.
68.74	Average watts over unity.
122.30	Percent of unity.
Per scope input.	
30 ohm coil with 2 magnets.	
Magnets against the coil. 1/2" x 3".	
Two lights & two 1500 watt elements.	
60 ms cycle time.	
Setup 10 AC in DC out.	
Amplification & Neutralization.	
Power supply set to 36 volts.	
36 x 9.9 = 356.4 input per power supply.	
NO Full wave bridge rectifier.	
32.9 x 9.37 = scope input.	
Ran on a 7.5 amp fast acting fuse.	

The GAP Generator	
02-26-17 @ 14:42	
No Moving Parts	
356.40	Avg watts input amp & neut.
377.01	Avg watts output per spike & magnets.
20.61	Average watts over unity.
105.78	Percent of unity.
Per power supply input.	
30 ohm coil with 2 magnets.	
Magnets against the coil. 1/2" x 3".	
Two lights & two 1500 watt elements.	
60 ms cycle time.	
Setup 10 AC in DC out.	
Amplification & Neutralization.	
Power supply set to 36 volts.	
36 x 9.9 = 356.4 input per power supply.	
NO Full wave bridge rectifier.	
32.9 x 9.37 = scope input.	
Ran on a 7.5 amp fast acting fuse.	

The GAP Generator	
02-26-17 @ 14:46	
No Moving Parts	
205.15	Avg watts input amp & neut.
246.95	Avg watts output per spike & magnets.
41.80	Average watts over unity.
120.37	Percent of unity.
As recorded.	
30 ohm coil with 2 magnets.	
Magnets against the coil. 1/2" x 3".	
Two lights & one 1500 watt element.	
60 ms cycle time.	
Setup 10 AC in DC out.	
Amplification & Neutralization.	
Power supply set to 36 volts.	
36 x 6.5 = 234 input per power supply.	
NO Full wave bridge rectifier.	
33.4 x 6.22 = scope input.	
Ran on a 7.5 amp fast acting fuse.	

The GAP Generator	
02-26-17 @ 14:46	
No Moving Parts	
207.75	Avg watts input amp & neut.
246.95	Avg watts output per spike & magnets.
39.20	Average watts over unity.
118.87	Percent of unity.
Per scope input.	
30 ohm coil with 2 magnets.	
Magnets against the coil. 1/2" x 3".	
Two lights & one 1500 watt element.	
60 ms cycle time.	
Setup 10 AC in DC out.	
Amplification & Neutralization.	
Power supply set to 36 volts.	
36 x 6.5 = 234 input per power supply.	
NO Full wave bridge rectifier.	
33.4 x 6.22 = scope input.	
Ran on a 7.5 amp fast acting fuse.	

The GAP Generator	
02-26-17 @ 14:46	
No Moving Parts	
234.00	Avg watts input amp & neut.
246.95	Avg watts output per spike & magnets.
12.95	Average watts over unity.
105.54	Percent of unity.
Per power supply input.	
30 ohm coil with 2 magnets.	
Magnets against the coil. 1/2" x 3".	
Two lights & one 1500 watt element.	
60 ms cycle time.	
Setup 10 AC in DC out.	
Amplification & Neutralization.	
Power supply set to 36 volts.	
36 x 6.5 = 234 input per power supply.	
NO Full wave bridge rectifier.	
33.4 x 6.22 = scope input.	
Ran on a 7.5 amp fast acting fuse.	

*Comparing tests done 02-26-2017
Tests on this page were done using a full wave bridge rectifier*

	The GAP Generator	
	02-26-17 @ 15:01	
	No Moving Parts	
284.04	Avg watts input amp & neut.	
338.92	Avg watts output per spike & magnets.	
54.88	Average watts over unity.	
119.32	Percent of unity.	
	As recorded.	
	30 ohm coil with 2 magnets.	
	Magnets against the coil. 1/2" x 3".	
	Two lights & two 1500 watt elements.	
	60 ms cycle time.	
	Setup 10 AC in DC out.	
	Amplification & Neutralization.	
	Power supply set to 36 volts.	
	36 x 9.3 = 334.8 input per power supply.	
	Full wave bridge rectifier.	
	32.7 x 8.8 = scope input.	
	Ran on a 7.5 amp fast acting fuse.	

	The GAP Generator	
	02-26-17 @ 15:01	
	No Moving Parts	
287.76	Avg watts input amp & neut.	
338.92	Avg watts output per spike & magnets.	
51.16	Average watts over unity.	
117.78	Percent of unity.	
	Per scope input.	
	30 ohm coil with 2 magnets.	
	Magnets against the coil. 1/2" x 3".	
	Two lights & two 1500 watt elements.	
	60 ms cycle time.	
	Setup 10 AC in DC out.	
	Amplification & Neutralization.	
	Power supply set to 36 volts.	
	36 x 9.3 = 334.8 input per power supply.	
	Full wave bridge rectifier.	
	32.7 x 8.8 = scope input.	
	Ran on a 7.5 amp fast acting fuse.	

	The GAP Generator	
	02-26-17 @ 15:01	
	No Moving Parts	
334.80	Avg watts input amp & neut.	
338.92	Avg watts output per spike & magnets.	
4.12	Average watts over unity.	
101.23	Percent of unity.	
	Per power supply input.	
	30 ohm coil with 2 magnets.	
	Magnets against the coil. 1/2" x 3".	
	Two lights & two 1500 watt elements.	
	60 ms cycle time.	
	Setup 10 AC in DC out.	
	Amplification & Neutralization.	
	Power supply set to 36 volts.	
	36 x 9.3 = 334.8 input per power supply.	
	Full wave bridge rectifier.	
	32.7 x 8.8 = scope input.	
	Ran on a 7.5 amp fast acting fuse.	

	The GAP Generator	
	02-26-17 @ 15:04	
	No Moving Parts	
190.29	Avg watts input amp & neut.	
225.88	Avg watts output per spike & magnets.	
35.59	Average watts over unity.	
118.70	Percent of unity.	
	As recorded.	
	30 ohm coil with 2 magnets.	
	Magnets against the coil. 1/2" x 3".	
	Two lights & one 1500 watt element.	
	60 ms cycle time.	
	Setup 10 AC in DC out.	
	Amplification & Neutralization.	
	Power supply set to 36 volts.	
	36 x 6.2 = 232.2 input per power supply.	
	Full wave bridge rectifier.	
	33 x 5.81 = scope input.	
	Ran on a 7.5 amp fast acting fuse.	

	The GAP Generator	
	02-26-17 @ 15:04	
	No Moving Parts	
191.73	Avg watts input amp & neut.	
225.88	Avg watts output per spike & magnets.	
34.15	Average watts over unity.	
117.81	Percent of unity.	
	Per scope input.	
	30 ohm coil with 2 magnets.	
	Magnets against the coil. 1/2" x 3".	
	Two lights & one 1500 watt element.	
	60 ms cycle time.	
	Setup 10 AC in DC out.	
	Amplification & Neutralization.	
	Power supply set to 36 volts.	
	36 x 6.2 = 232.2 input per power supply.	
	Full wave bridge rectifier.	
	33 x 5.81 = scope input.	
	Ran on a 7.5 amp fast acting fuse.	

	The GAP Generator	
	02-26-17 @ 15:04	
	No Moving Parts	
232.20	Avg watts input amp & neut.	
225.88	Avg watts output per spike & magnets.	
-6.32	Average watts over unity.	
97.28	Percent of unity.	
	Per power supply input.	
	30 ohm coil with 2 magnets.	
	Magnets against the coil. 1/2" x 3".	
	Two lights & one 1500 watt element.	
	60 ms cycle time.	
	Setup 10 AC in DC out.	
	Amplification & Neutralization.	
	Power supply set to 36 volts.	
	36 x 6.2 = 232.2 input per power supply.	
	Full wave bridge rectifier.	
	33 x 5.81 = scope input.	
	Ran on a 7.5 amp fast acting fuse.	